# Unmasking HiddenFace

MirrorFace's most complex backdoor yet

**Dominik Breitenbacher** 

Malware Researcher



**Digital Security** Progress. Protected.

# Unmasking NOOPDOOR

MirrorFace's most complex backdoor yet

**Dominik Breitenbacher** 

Malware Researcher





**Digital Security** Progress. Protected.



# **Dominik Breitenbacher**

- Malware researcher @ ESET since 2019 •
- **Research focus** •
  - MirrorFace LODEINFO
  - Kimsuky







dbreitenbacher

# Agenda

### MirrorFace overview

### HiddenFace (NOOPDOOR)

- Introduction
- Execution chain
- Technical details



# MirrorFace

# MirrorFace

### China-aligned threat actor

- Active at least since 2019
  - Activity often attributed to APT10
- LODEINFO malware unique for the group
- Exclusively targeting Japanese entities (?)



# Victimology



Media



Defense-related companies



Think tanks





Political entities



Academic institutes

# HiddenFace (NOOPDOOR)



# HiddenFace



**Overall complexity and versatility surpasses LODEINFO** 

domain generation algorithm





# Victimology



Media



Defense-related companies



Think tanks





Political entities



Academic institutes

# How we discovered HiddenFace

- August 2023
- Japanese research institute
- Exploited a vulnerability in FortiOS/FortiProxy
  - $\rightarrow$  NOT via spearphishing
- LODEINFO deployed
  - → MirrorFace
- HiddenFace deployed

# **Execution Chain**





**Example: automatic-device-check or createobject** 





Example: diskmgmt.config, BrowserSettingSync.xml, or BluetoothDesktopHandlers.xml



### FaceXInjector = NOOPLDR



**Example:** ActivationManager.tlb, LaunchWinApp.dat, or Windows.Devices.Custom.dat



















### AES(payload)

)?





















### HKLM\Software\Microsoft\SQMClient\Machineld + hostname







### SHA-384(HKLM\Software\Microsoft\SQMClient\Machineld + hostname)



Machine-specific encrypted



HKCU|HKLM\Software\License\{<16 hex characters>}

### **Execution chain - Injection**



### **Execution chain - Injection**



Registry key with machinespecific encrypted HiddenFace



### **Execution chain - Injection**



Example: perfmon.exe, wermgr.exe, or powercfg.exe



# Startup

### **Dynamically resolves Windows APIs**

### **Performs few defensive actions**

- Removes API resolution code  $\rightarrow$  Memory dump is malformed
- Restricts DLL loading to Microsoft-signed ones
- Sleeps randomly in between 30 and 60 seconds  $\rightarrow$  Likely to avoid behavioral analysis by sandbox or security solutions
- Periodically checks running processes against a list of blacklisted applications
  - Debuggers, process monitors, network analysis tools ...

## Startup

Creates mutex
Only one instance at a time

- Loads external modules
- Initializes internal framework
- Starts network communications



# Modular System



## **Modular system**

Core feature of HiddenFace

- Module: **Built-in functions or shellcode labeled by ID numbers**
- HiddenFace contains several built-in modules
- **External modules are loaded from a file**
- Additional modules can be sent by an operator
  - Internal framework provided to a module received from a C&C server

# **External Modules**



## **External modules**

Stored in a file – AES-256-CBC-encrypted

✓ User-specific filename

User-specific AES key and IV

Algorithmically determined

Hostname and username is used

Note: Most of the assets that are usually hardcoded in malware (e.g., encryption keys, filenames), are generated by HiddenFace.

## **External modules – Module Entry**

Name	Description
Туре	Module type (immediate, specific minute, etc
ID	ID to identify the module
Тад	(Optional) Additional label for the module
Time	Describes a specific time or a period; used for
Shellcode / Parameters	Contains either the module's shellcode or par



### r scheduled execution rameters for a built-in module

## **External modules – Execution**

Each module is executed based on its type

Туре	Description
Immediate	Immediately and only once
Specific minute	Specified minute every hour
Specific time	Specified time every day
Periodic	Every X minutes
Process monitor periodic	X minutes after the last check for running

processes

# Internal Framework



## Internal framework

Provided to every module received from the C&C server

### **Features:**

- Access and modify external modules
- Utilize internal memory storage
- List running modules
- Changes to the framework itself





## Internal framework

### Lookup function is used to obtain and execute desired function

Function ID	Description
CCA8EB22C9E23C5D0577FC1F03060A5E	Add framework function
3D75B9B060499764C13527149E89D8DC	Remove framework function
CF05E89B7EAF28FE0DBF3B771B6C07B7	Write to memory storage
9BB2D76EDA1355D875D1D53DEEAA85B9	Read from memory storage
AC636E53FA3EC973F0E9535C8358C3E9	Remove data from memory storage
AC2BC61134888753316C1AC63DE465FE	Read external modules file
50515EF4F20DAA90B575DFFEAB4A97C0	Add module to external modules file
B5F39B21F0CC65CB1E3C75C6BFB7AB25	Write data to external modules file If no data is provided $\rightarrow$ file is deleted
1AA52A58C2C7B8E0079FF255D7294E70	Return list of running modules



# **Active Communication**

## **Active communication**

- Actively connects to a C&C server
- **Works in sessions**
- Hard-coded list of C&C URLs (templates)
- Uses domain generation algorithm (DGA)
- Uses custom protocol over TCP (on port 443)



## **Active communication – DGA**

## http://\$n[].tw8sl.com:443/#180

Symbol	Description
\$n	Variable to replace with a generated string (e
[]	Use hostname in the algorithm $\rightarrow$ Creates up
# <num></num>	Increase domain's lifespan to <num> days</num>

## TrendMicro's example: http://\$d.hopto.org:443

Note: Some of the domains are under direct MirrorFace control.

e.g., sofvgckcmyixg) nique domain

## **Active communication – Establishing a session**

- All messages exchanged are encrypted
- First messages are RSA-2048 encrypted
  - To send collected information
  - To exchange key materials for a symmetric encryption cipher
- Symmetric encryption cipher is used until the end of the session
- **Cipher randomly selected by HiddenFace** 
  - DES, 3DES, two-key 3DES
  - AES-CBC (128/192/256)
  - RC2, RC4





## **Active communication – Commands handling**

Commands executed by modules

 Server sends module ID and necessary data

Module ID not found
Additional temporary module
Access to internal framework

HiddenFace <ey negotiation</pre> Requesting commands



C&C server



## **Active communication – Commands**

Function ID	Description
3B27D4EEFBC6137C23BD612DC7C4A817	Create a process
9AA5BB92E9D1CD212EFB0A5E9149B7E5	Write to a file
3C7660B04EE979FDC29CD7BBFDD05F23	Exfiltrate a file
12E2FC6C22B38788D8C1CC2768BD2C76	Read content from the %SystemRoot%\System
2D3D5C19A771A3606019C8ED1CD47FB5	Timestomp directory co

Note: msra.tlb contains credentials collected by MSRAStealer – MirrorFace's publicly undescribed stealer.

file named m32\msra.tlb

ontent

## **MSRAStealer**

### Passive credentials stealer

- **Upon deployment registered as password filter and authentication package**
- **Password filter** 
  - Legitimate use: Enforce password policy
  - MSRAStealer: collects credentials on a password change
- Authentication package
  - Legitimate use: Analyze logon data
  - MSRAStealer: collects credentials on user's logon
- Collected credentials are dumped into msra.tlb AES-256-CBC encrypted
- HiddenFace used to exfiltrate the credentials

# **Passive Communication**

## **Passive communication**

- Hard-coded list of ports to listen on (e.g., 47000)
- Windows firewall reconfigured to allow communication
- **Communication AES-128-CBC encrypted**
- AES key and IV generated on: <year><hour (utc)><day><month>
- SHA-256 hash = AES key
- SHA-1 hash = AES IV



## **Passive communication – Commands**

Command ID	Description
0x0BE9	Keep-Alive
0x2359	Create a process
0x235A	Exfiltrate a file
0x235B	Write to a file
0x235C	Set working directory
Øx235D	Execute shellcode

*Note: Execute shellcode* – *Shellcode is turned into a module first. Not added to the list of available modules and not provided with the access to the internal framework.* 



# Data Structuring System



## **Data structuring system**

HiddenFace uses system to structure data

For communication, but also internally 

**Every structured data blob consists of:** 

- Header
- Metadata
- Actual data

42  $\mathbf{0}$ 6E 67 AD AD BE FF 00





## Data structuring system

### Header

Offset	Size (bytes)	Description
0	4	Total size in bytes
4	4	Data section size in bytes
8	4	Number of metadata entries
12	4	Maximum possible number of met

### Metadata

Offset	Size (bytes)	Description
0	4	Data size in bytes
4	4	Data type



### tadata entries

## Data structuring system – Data

- **Consists of arbitrary content**
- Heavily depends on the data's purpose
- Every data item is categorized and defined in metadata
- HiddenFace distinguishes more than 80 data types

## **Example 1 – "Exfiltrate a file" command**

Data type	Description
0x0BD1	Randomly generated data
0x03E8	Type of message Always set to OxBE3, representing "Command
0x03EA	Receiving thread ID
0x0FA1	Module ID Always set to 3C7660B04EE979FDC29CD7BBF
Øx1389	(Optional) Request tag
Øx138C	Item of unknown purpose
Øx1772	Name of the file to exfiltrate
Øx0BC2	(Optional) Base directory if the filename is related
0x1774	(Optional) Known file size
0x1775	(Optional) Known last write time
0x1776	(Optional) Chunk information (file offsets)
0x1779	(Optional) Known SHA-1 hash of the file



### request"

DD05F23, representing "Exfiltrate a file"

ative

## **Example 2 – Data passed internally to run a module**

Data type	Description
0x0FA1	Module ID
0x0FA2	(Optional) Module's shellcode
Øx1389	(Optional) Tag
0x1390	(Optional) Event name; to limit module's
Øx138C	Item of unknown purpose
Øx1398	Internal framework's lookup function

### execution to one instance only

# Conclusion

## Conclusion

- HiddenFace (NOOPDOOR) Backdoor developed and exclusively used by MirrorFace
- The most complex malware in MirrorFace's arsenal
- **Developed with heavy focus on modularity**  $\rightarrow$  Can be tailored to current needs
- Utilizes other interesting techniques and mechanisms
  - DGA, data structuring approach, various anti-detection/-analysis techniques
- **Protective execution chain shows HiddenFace is especially valuable to MirrorFace**
- HiddenFace is a reasonably big project



# Thank you.



dominik.breitenbacher@eset.com



### Note: IOCs after this slide.







## **IOCs – Files**

SHA-1

41ACA6FCF8DF6599764DA638B2BAFDFD5E3EAD8B 512F3C8953AC079B57D1E13F3B8E97F99A054CE9 85E831EAC0AD5A308394BEB1CB7CE702C754FDB6 D96B05E516E9BB3E0AD8702D162440139E33D972

### **Scheduled Tasks**

c:\windows\system32\tasks\microsoft\windows\user profile service\hiveupload c:\windows\system32\tasks\microsoft\windows\wininet\cachetask c:\windows\system32\tasks\microsoft\windows\shell\createobject c:\windows\system32\tasks\microsoft\windows\workplace join\automatic-device-check c:\windows\system32\tasks\microsoft\windows\media center\pbdadiscoveryw3

## **IOCs - Files**

### **FaceXInjector XMLs**

C:\Windows\system32\diskmgmt.config C:\Windows\system32\MusNotification.xml C:\Windows\system32\NetMgmtIF.xml C:\Windows\system32\BrowserSettingSync.xml C:\Windows\system32\BluetoothDesktopHandlers.xml

### **Encrypted HiddenFace**

C:\Windows\system32\ActivationManager.tlb C:\Windows\system32\ksetup.dat C:\Windows\system32\LaunchWinApp.dat C:\Windows\system32\win32k.tlb C:\Windows\system32\Windows.Devices.Custom.dat



### **IOCs - Network**

**MirrorFace-controlled servers** 

5.180.44[.]139 202.182.118[.]157 207.148.97[.]235

### **C&C domains**

vtfraznzdcns.myvnc[.]com okzhfafcyumv.foeake[.]org gjeyxinbutely.torefrog[.]com hopekxpjyqloj.torefrog[.]com kcxtdemxszlb.torefrog[.]com lrsjvqxvzqua.torefrog[.]com ogxzarazhzgu.torefrog[.]com orufdqjuirceapb.torefrog[.]com smfyuxgkeqiwgqw.torefrog[.]com

